



HARLEQUIN

PORTABLE AND PERMANENT
VINYL FLOORS FOR DANCE AND ENTERTAINMENT



THE WORLD DANCES ON HARLEQUIN FLOORS®

Contents

- P3 Foreword
- P4 Overview of Harlequin portable and permanent vinyl floors for dance and entertainment
- P5 Ballet Biarritz performance of 'Les Ménéines'
- P6 Harlequin DUO™
- P7 Harlequin STUDIO™
- P8 Harlequin CASCADE™
- P9 Harlequin STANDFAST™
- P10 Harlequin TEMPO™
- P11 Harlequin ALLEGRO™
- P12 Harlequin SHOWFLOOR™
- P13 Harlequin HI-SHINE™
- P14 Harlequin FIESTA™
- P15 Palace of Versailles



Dear Friends of Harlequin,

Thank you for your interest in Harlequin dance floors, which for over 30 years have been the choice of the world's artistic and technical directors working in stage-set design, event management and, more especially, dance.

Harlequin combines top quality products with unbeatable service - whether your requirement is for a dance company, conservatoire, local school, opera house, theatre, private dance school, television studio, exhibition, fashion show or rock concert.

This brochure will help you to choose the right flooring for your requirements. You will find technical and practical information for our full range of dance floors, from the most traditional, such as Harlequin CASCADE™ to more innovative options like Harlequin HI-SHINE™ and our most hard wearing floor, Harlequin STANDFAST™.

Accompanying this brochure is a companion publication titled, *Portable and Permanent Sprung Floor Systems*, which is available on request.

Please call our Free Phone number 00 0800 90 69 1000 where one of our business advisors will be happy to discuss your requirements in your own language.

Chantal Lagniau
General Manager, Harlequin Europe



All **Harlequin** floors are guaranteed unconditionally against defects in manufacture, provided that claims are made within six months of the date of delivery (for vinyl floors) or of installation (for Harlequin ACTIVITY™ and LIBERTY™ sprung floor systems).

The company only accepts liability for replacing a product deemed to be defective. **Harlequin** will not accept any liability whatsoever for accidental damage or deterioration linked to inappropriate or extreme use.

Harlequin dance vinyl and sprung floors are guaranteed for five years from the date of delivery (for vinyl floors) or of installation (for Harlequin ACTIVITY™ and LIBERTY™ sprung floor systems) under normal use and provided that maintenance instructions have been followed.

Harlequin SHOWFLOOR™ and HI-SHINE™ floors are guaranteed for two years only from the date of delivery.



HARLEQUIN

I. Harlequin vinyl floors : recommendation for use

Please also see our separate brochure on Harlequin sprung dance floors.

	CLASSICAL	CONTEMPORARY	JAZZ/AEROBICS	HIP-HOP	TAP	FLAMENCO	THEATRE	EXHIBITIONS	BALLROOM DANCING
DUO™*	••	••	••	••	••	•••	•••	••	•
STUDIO™	•••	•••	•••	••	-	-	-	-	-
CASCADE™	•••	••	••	•	•	••	•••	••	•
STANDFAST™	••	•••	•••	•••	•••	•••	•••	-	•••
ALLEGRO™	••	•••	•••	••	-	-	-	-	-
TEMPO™	•	••	•••	•••	-	-	••	••	•
FIESTA™	-	•	•••	••	•••	••	•••	-	•••
HI-SHINE™	-	••	•	•	•	•	•••	•••	•
SHOWFLOOR™	-	-	-	-	-	-	•••	•••	-

• compatible •• appropriate ••• ideal

* suitable for use on stage in all kinds of performance events

II. Recommended vinyl floors for Harlequin sprung floors

For more information please call us on freephone 00 800 90 69 1000 or e-mail info@harlequinfloors.com

	DUO™	STUDIO™	CASCADE™	ALLEGRO™	STANDFAST™	TEMPO™	FIESTA™	HI-SHINE™	SHOWFLOOR™
LIBERTY™ portable version	✓	✓	✓			✓		✓	✓
LIBERTY™ permanent version		✓	✓		✓	✓	✓		
ACTIVITY™		✓	✓		✓	✓	✓		

✓ recommended



© Olivier Rouek

Harlequin STUDIO™, specially produced in mauve for Ballet Biarritz for the show 'Les Ménines', choreographed by Thierry Malandain.
See floor description on page 7



Harlequin DUO™

The original dance floor.

The history of **Harlequin** starts here with **DUO™** - the very first Harlequin dance floor.

Original in both senses, first and innovative - **Harlequin DUO™** is a slip-resistant, reversible double-sided floor offering the option of two different surface colours.

Harlequin DUO™ has long been considered the classic, reversible performance floor. Made of a double layer of calandered vinyl with a different coloured, slip-resistant surface on each side, **Harlequin DUO™** gives you two floors in one.

Harlequin DUO™ rolls out easily on stage or in the practice studio. Secure joins and edge using single-sided adhesive tape and your stage is set. At the end of the show, simply roll up and store away.

Available in seven colour combinations, the floor is multi-purpose, ultra-lightweight and reversible.

Harlequin DUO™ is intended for loose lay only.

SPECIFICATION

Roll length

10m, 15m, 20m, 25m, 30m

Roll width

1.5m or 2m

Thickness

1.25mm

Weight

1.6kg/m²

Dimensional stability

≤ 0.6%

Sound insulation rating

2dB
(European standard EN ISO 717-2)

Fire rating

Bfl S1
(European standard EN 13501-1)

Colours

black/white, black/grey
light grey/mid grey
dark grey/caramel
dark brown/beige
chromakey green/yellow
chromakey blue/red



PORTABLE 1.5 and 2m



white
black



grey
black



caramel
dark grey




beige
dark brown



yellow
chromakey green



red
chromakey blue



light grey
mid grey

Slip-resistant wear coat



Harlequin STUDIO™ Unbeatable comfort.

Developed at the request of Rudolf Nureyev, **Harlequin STUDIO™** is suitable for both classical ballet and contemporary dance.

This multi-purpose dance floor has been used by the Paris National Opera for over 25 years. The floor is surprisingly smooth and soft thanks to its foam backing, which gives added comfort to dancers working on the floor or on points.

Harlequin STUDIO™ is a smooth, extremely stable, hard wearing dance floor suitable for both loose lay or permanent installation as a top surface on one of our sprung dance floors.

Made of ultra-tough vinyl, this floor is perfectly suited to the needs of dancers. Its special, complex vinyl construction is strengthened by a mineral fibre reinforcement and a firm yet flexible foam backing to give dancers extra protection and added comfort when doing floor work. Dancers will also find its slip-resistant surface reassuring when performing demanding choreography or difficult movements.

Whether you are on tour or in the practice studio, **Harlequin STUDIO™** is the ideal solution. It boasts exceptional dimensional stability and rolls out easily on any smooth, firm surface.

Orders of 500m² or more can be produced in a colour of your choice.

SPECIFICATION

Roll length

10m, 15m, 20m, 25m, 30m

Roll width

1.5m

Thickness

3mm

Weight

2.3kg/m²

Sound insulation rating

15dB

(European standard EN ISO 717-2)

Fire rating

Bfl S1

(European standard EN 13501-1)

Colours

black

grey

white

Custom colours available for orders over 500m²




PERMANENT



PORTABLE




1.5m



black



white





Harlequin CASCADE™ Classical style.

With a soft feel, yet hard-wearing, stable yet pliable, **Harlequin CASCADE™** has a slightly embossed, non-slip surface that provides extra grip and reassurance for dancers of classical ballet.

Harlequin CASCADE™ is renowned for being the most supple, stable dance floor on the market. A whole generation of directors and professional dancers have been won over by its durability. The lightly embossed surface has an excellent grip that gives dancers complete confidence, while the matt finish makes it extremely popular with lighting designers.

Harlequin CASCADE™ can withstand heavy stage props, scenery and lighting towers. Suitable for use as an indoor or outdoor stage floor or in the practice studio, **Harlequin CASCADE™** gives performers added protection either as a loose lay or permanent installation, particularly on top of one of our sprung floors.

Orders of 500m² or more can be produced in a colour of your choice

SPECIFICATION

Roll length

10m, 15m, 20m, 25m

Roll width

2m

Thickness

2mm

Weight

2.6kg/m²

Sound insulation rating

3dB

(European standard EN ISO 717-2)

Fire rating

Bfl S1

(European standard EN 13501-1)

Colours

black

grey

dark grey

white

dark brown

Custom colours available for orders over 500m²




PERMANENT




PORTABLE



2m



black




dark grey



white



dark brown





Harlequin STANDFAST™ Tough and hard-wearing.

The ultimate hard-wearing, multi-purpose dance floor, **Harlequin STANDFAST™** can withstand heavy props and scenery and is extremely hard wearing when used on stage, in the practice studio or in a multi-purpose hall.

Harlequin STANDFAST™ is an extremely tough, heavy-duty, multi-purpose floor intended for permanent or semi-permanent installations only, either on stage or in the practice studio, particularly as a top surface for one of our sprung floors.

Especially popular with Flamenco dancers, it is also suitable for classical ballet, contemporary dance, hip hop and a range of performing arts.

When laid, adjacent rolls of **Harlequin STANDFAST™** can be hot-welded to form a continuous, non-slip surface suitable for heavy-duty use.

SPECIFICATION

Roll length
15m, 20m

Roll width
1.5m


Thickness
2.6mm

Weight
3.5kg/m²

Sound insulation rating
3dB
(European standard EN ISO 717-2)

Fire rating
Bfl S1
(European standard EN 13501-1)

Colours
black
grey



PERMANENT

1.5m



black



dark grey



grey

Homogenous vinyl with
special performance finish



Harlequin TEMPO™ Multi-purpose comfort.

Harlequin TEMPO™ lends itself to an amazing range of performance activities. Ideal for hip hop or contemporary dance, the foam-backed, cushioned surface provides maximum comfort and resists scuffing.

Harlequin TEMPO™ provides a unique multi-purpose surface, ideal for contemporary dance and hip hop and being thicker than Harlequin STUDIO™ offers additional protection against hard sub-floors.

Harlequin TEMPO™ features a tough wear coat surface that is scuff resistant and easy to clean. It is intended for loose lay or permanent installation, particularly as a top surface for one of our sprung floors.

SPECIFICATION

Roll length
20m, 25m

Roll width
2m


Thickness
3.45mm

Weight
3.3kg/m²

Sound insulation rating
19dB
(European standard EN ISO 717-2)

Fire rating
Cfl S1
(European standard EN 13501-1)


Colours
black
grey



PERMANENT PORTABLE 2m



black



grey

Calendered
vinyl base
layer

Solid pigment
wear coat

Closed cell
foam backing

Strong mineral
fibre interply



Harlequin ALLEGRO™

The thickest vinyl dance floor on the market.

Specially designed to protect dancers against hard sub-floors, **Harlequin ALLEGRO™** meets the French AFNOR NFP standard 90203 and provides an exclusive and innovative alternative to the traditional dance sprung floor.

At 8.5mm, **Harlequin ALLEGRO™** is the thickest roll-out dance floor on the market. Made from vinyl reinforced with a tough mineral fibre interply and foam-backed to offer protection against hard sub-floors.

Harlequin ALLEGRO™ is suitable for contemporary dance, jazz and hip hop as well as yoga and Pilates and is ideal for use in rehearsal studios.

Looking for a semi-sprung floor surface for your studio? **Harlequin ALLEGRO™** is the quick and easy solution - no need for a carpenter, nails, screws, springs or pads! All you have to do is choose between the loose-lay and permanent option.

SPECIFICATION

Roll length
10m, 15m, 20m

Roll width
1.5m


Thickness
8.5mm

Weight
6kg/m²


Sound insulation rating
22dB
(European standard EN ISO 717-2)

Fire rating
Cfl S1
(European standard EN 13501-1)

Colours
black
grey



PERMANENT PORTABLE 1.5m





Harlequin SHOWFLOOR™

Light, stable and reusable.

Harlequin SHOWFLOOR™ is a floor suitable for display applications including fashion shows, exhibition stands and special events including situations where protection of the venue's parquet floor, or similar delicate surface is required.

Harlequin SHOWFLOOR™ is a multi-layered flooring made out of vinyl reinforced with mineral fibre and foam backing and comes in several colours. Light-weight and reusable, this is the ideal, loose-lay floor for any event.

Harlequin SHOWFLOOR™ is an extremely decorative, floor surface which can be rolled out on any hard smooth surface including plywood, chipboard, hardboard, tiles or concrete. We also supply suitable single-or double-sided adhesive tape for fitting.

SPECIFICATION

Roll length

10m, 15m, 20m, 25m, 30m

Roll width

2m

Thickness

2.6mm

Weight

1.6kg/m²

Sound insulation rating


3dB
(European standard EN ISO 717-2)

Fire rating

Bfl S1
(European standard EN 13501-1)

Colours

black
grey
white
red



PORTABLE

2m




black



white



red





Harlequin HI-SHINE™

Sheer sparkle.

The ideal choice for opera, TV studios and high-profile events, the most striking feature of **Harlequin HI-SHINE™** is its ultra-glossy appearance. Offering superior scratch resistance this surface will produce spectacular lighting effects on stage.

Harlequin HI-SHINE™ rolls out instantly to a breathtaking wet-look finish, making it the ideal floor for the entertainment industry. Its special hard-polymer laminated surface is superior to urethane for scratch resistance.

Harlequin HI-SHINE™ is perfect for opera, TV studios, high-profile entertainment, fashion shows, product launches and parties, and will add an unforgettable shine to all your events.

Harlequin HI-SHINE™ is suitable for loose-lay or semi-permanent installation.

SPECIFICATION

Roll length
20m, 30m

Roll width
1.5m


Thickness
1.5mm

Weight
1.96kg/m²


Sound insulation rating
2dB
(European standard EN ISO 717-2)

Fire rating
Bfl S1
(European standard EN 13501-1)

Colours
black
grey
white
blue
red




PORTABLE 1.5m




black



white



blue



red





Harlequin FIESTA™ The natural-wood look.

Harlequin FIESTA™ provides a realistic oak wood strip patterned surface without the practical drawbacks of natural wood flooring.

Harlequin FIESTA™ provides all the warmth and natural colour of wood. Its clear wear coat makes it extra tough, highly durable and suitable for all kinds of activities.

Harlequin FIESTA™ is perfect for percussive dance like tap or Irish dancing, but also for ballroom dancing or any kind of social or cultural event.

Harlequin FIESTA™ is suitable for permanent installation. Joints can be cold-welded to create a continuous performance surface. Harlequin FIESTA™ can be installed on any smooth flat surface and, combined with one of our sprung dance floors, will provide the perfect multi-purpose surface.

SPECIFICATION

Roll length
20m, 25m

Roll width
2m

Thickness
2mm

Weight
2.9kg/m²

Sound insulation rating
5dB
(European standard EN ISO 717-2)

Fire rating
Bfl S1
(European standard EN 13501-1)


Colour
Medium oak finish




PERMANENT



2m





Harlequin CASCADE™ use on a 600m² outdoor stage in the gardens of the Palace of Versailles.
See floor description on page 8



HARLEQUIN
The world dances on Harlequin floors®



LB Sportgolv
Postadress: Box 20
913 21 Holmsund

Tel.: 090-241 10
090-241 22
Fax: 090-413 26
www.sportgolv.se
info@sportgolv.se

Environmental Statement

For several decades now social and environmental responsibility has been a fundamental value for the Harlequin group. Thanks to products that respect the environment and our advanced technological processes, each stage in the production generates a minimum environmental impact.

Our responsible product supply policy is dictated both by the customer's demand for quality and our own concern to protect the environment. That is why we select our suppliers very carefully from among those who share our environmental and social convictions.

As our PVC surfaces are fully recyclable, they are often described as a sustainable product and the Harlequin group recycles almost 100% of its production waste. It is also committed to recycling all Harlequin products that are returned to its European factories for recycling at the end of their lives. A commitment by which the group seeks to minimise both its own carbon footprint and that of its customers.



Mixed Sources
Product group from well-managed
forests and other controlled sources
Cert no. SBL-COC-051203
www.fsc.org
© 1996 Forest Stewardship Council